

# **TWYDIL® GROWING**

Complementary feed for growing horses particularly recommended between weaning and breaking-in. TWYDIL® GROWING contributes to the harmonious development of the young horses and favours good intestinal flora.

#### Composition

Premix of vitamins, amino acids and trace elements, wheat bran, cooked linseed, apple pomace, fish protein hydrolysate, fructooligosaccharides (FOS), magnesium oxide, soybean oil

#### **Analytical constituents**

Crude protein 31 %, crude oils and fats 11 %, crude fibre 4.2 %, crude ash 11 %, water 7.5%, magnesium 1.5 %, sodium < 1 %

## Additives (per kg)

•	tati tioi lai aaaiti voo			
	Vitamin A (retinol)	400 000 IU	L-threonine	30 000 mg
	Vitamin D <sub>3</sub> (cholecalciferol) (3a671)	40 000 IU	Copper	800 mg
	Vitamin E (dl-α-tocopheryl acetate)	13 333 mg	(copper sulphate, pentahydrate) (400 mg) (3b405	)
	Vitamin K <sub>3</sub> (menadione)	66 mg	(copper chelate of glycine, hydrate) (400 mg) (3b4	413)
	Vitamin B <sub>1</sub> (thiamine hydrochloride)	560 mg	Iron	5 600 mg
	Vitamin B <sub>2</sub> (riboflavin)	233 mg	(iron sulphate, monohydrate) (2800 mg) (3b103)	
	Vitamin B <sub>6</sub> (pyridoxine hydrochloride)	200 mg	(iron chelate of glycine, hydrate) (2800 mg) (3b10	8)
	Vitamin B <sub>12</sub> (cyanocobalamin)	10 mg	Manganese	1 800 mg
	Nicotinic acid	600 mg	(manganese oxide) (1000 mg) (3b502)	
	Pantothenic acid	250 mg	(mn chelate of glycine, hydrate) (800 mg) (3b506)	)
	Biotin	10 mg	Zinc	2 600 mg
	Folic acid	966 mg	(zinc oxide) (1000 mg) (3b603)	
	Choline	6 500 mg	(zn chelate of glycine, hydr.) (1600 mg)(3b607)	
	Vitamin C (35% asc. ac./65% asc.ester)	10 000 mg	Cobalt (3b303), cobalt carbonate, monohydrate	24 mg
	L-lysine	70 000 mg	lodine (3b202), calcium iodate, hexahydrate	74 mg
	DL-methionine	30 000 mg	Selenium (3b810), selenised yeast inactivated	29 mg
			Saccharomyces cerevisiae (4b1702)	10 <sup>11</sup> CFU

## **Feeding instructions**

To be mixed with the normal ration:

## Daily quantity:

(measuring scoop of 40 g inside pack)

#### Foals:

<ul> <li>from 3 months to weaning</li> </ul>	20 g	(½ scoop)
<ul> <li>from weaning to one year</li> </ul>	40 g	(1 scoop)
Yearling until breaking-in:	60 g	(1 ½ scoops)
2 year-olds and more not yet broken-in:	80 g	(2 scoops)

After breaking-in, it is recommended to replace TWYDIL® GROWING with TWYDIL® RACING. Do not exceed recommended daily quantities. Do not use concurrently with other products containing cobalt in horses likely to be controlled for doping.

Store in original pack in a cool dry place. Close lid after use. Keep out of reach of children. It is the user's responsibility to conform to the directives of the local competent authorities presiding over his region or country. Concerning some ingredients of our formulas, the national regulations may change independently from the FEI rules. Compositions also available on our website www.twydil.com.

Pavesco AG, CH-4051 Basel, Reg. No. CH 11712/CH-BL-ABP005 Pavesco UK Ltd, GB-Harleston Norfolk, Reg. No. GB 226 0273

(Ref. 07.2022)

www.twydil.com

Producer: αCH31246